



Airport Services Center: 125 G Avenue • Gwinn, MI 49841 • www.sawyerairport.com

Airport Administrative Office
(906) 346-3308

Water/Wastewater Department
(906) 346-3137

Maintenance Department
(906) 346-4336

Notice to Bidders for Letting of April 9, 2021

ADDENDUM NO. 2 – Issued April 1, 2021

**KI Sawyer Water Department
Water Tank Perimeter Fence**

This Addendum provides additional information for potential bidders. Bidders are required to acknowledge receipt of this Addendum in the space provided on the Proposal forms.

ADDITIONAL INFORMATION

1. **Primary fence** site consists of 693’ of fence plus one 15’ double gate.
2. Fence fabric shall be;
 - a. 6’ high, 2” mesh, 9 gauge, and aluminized or galvanized after weaving.
3. Fencing framework materials shall be WT 40 or Sch-40.
 - a. Top rail OD 1 5/8”
 - b. Line posts 2 3/8”
 - i. Driven 4’ deep.
 - c. Corner posts 2 7/8”
 - i. Driven 6’ deep.
4. Terminal Posts shall be braced and trussed.
 - a. End and gate posts shall be set in 48” X 12” concrete footings.
5. Bottom tension wire shall be 7 gauge.
6. Fence shall have 3 strands of barb wire.
7. **Alternate fence** site consists of 85’ of fence plus one 15’ double gate.
 - a. The gate shall be a 7’ high gate with 3 strand barb wire with privacy slats. The remaining fence to mirror the primary fence construction.

Addendum No. 2
KI Sawyer Water Department
Water Tank Perimeter Fence

Issued April 1, 2021